



SUPREME INCLUSIONS

Let's begin your journey ④

Pre-Construction and Site preparation

- OCDC or DA processing including application fees
- Onstruction insurance including public liability insurance
- 🧭 Work Cover insurance
- Sediment controls, on-site toilet hire fees.
- Preparation of Contracts and Specifications
- O Temporary fence hire
- Portable toilet hire
- Sediment fence as required
- Scaffolding hire as needed
- Balcony protection
- Edge Protection

Site Preparation

Standard Fixed site cost.

Peering to the required strength reached (2-3m) to a hard surface for foundation. (As per Structural Design)

Termite Treatment

- Sordon termite barrier around perimeter of slab and penetration.
- Orremite Collars to all plumbing pipes prior to slab pour.

Slab

- Oconcrete slab Pouring
- Supply and install steel, steel mesh and other necessary fittings for slab and beams as required
- Oncrete pump hire for concrete slab and peering.
- Standard Foundation with H1 class Concrete Slab as per structural engineer details
- 25 MPA, peering number as promised, 2.5-3.00-meter depth/ if required more as promised.
- Slab thickness 100 as promised.
- 🧭 Wet areas to be provided with set downs





Underground connections and services

- Standard Sewer connection to main as per design / as needed
- O Underground water service to house as per plan/ as needed
- Work Cover insurance
- Provide water and gas connection as per design (No length restriction. Will be done as needed)
- 🧭 Electricity connection as per design with single phase line (No length restriction. Will be done as needed)
- Telstra/NBN conduits connections from source, the owner will be responsible to Connect from the service provider
- Supply and install stormwater system as per stormwater engineering plans. Including Stormwater detention tanks

Framing and Metal beams

- O Timber frame 90x45 Construction in H2 Termite treated
- Floor System as per the current Smart frame guidelines, and the approved Structural design with termite protected @450mm spacing. High thick sound resistance timber flooring.
- \oslash Double joist timber framing with engineering timber where required

Roofing

- O Tiled Roofing as per Drawings.
- O Color bond fascia and gutter with downpipe as per Hydraulic Engineer's details
- Ouble Joist Roof Framing with heavy load Engineering timber
- Ceiling Insulation R2.5 if required

Brick, Rendering, Cladding

- Choice of Common Bricks or standard Face Bricks from client, install by experienced tradesperson.
- Cement rendering, texture, acrylic rendering and weather protection paint whole house if required according to the Design and specification.



External inclusions

- Garden Taps to Exterior-One is front of the house and one is back of the house One drinkable water and one rainwater
- 🧭 Gas, hot and cold provisions for BBQ
- All external ceiling will be cement board
- External wall Insulation R2.7 (Subjected to Basix)
- 🧭 Rinnai/ Rheem 6 Star rated gas instantaneous wall mounted hot water system Client choice
- 🧭 Rain Water tank as per BASIX requirements. (5000L)
- One tap from rainwater tank.
- O Two water taps to the location of client's choice.

Internal inclusions

- 2700mm ceiling height to Ground floor and 2700mm ceiling height to First floor.
- O 10mm Plasterboard to the walls and 10mm Plasterboard to the ceiling
- Supply & fix villa boards sheeting for the bathrooms.
- Plaster all joints and corners with approved base coats & topping coats
- Standard Cove cornice
- Whole house water proofing would be high graded, extra thick and extra strength water proofing system with special materials for 20 years sustainability.

Staircase

- Custom Designed staircase with timber steps (selected as dark wood color, matching with Main door) / Client choice.
- Metal framed (black) glass balustrade continue to first floor with fixed pin (black)/ Client choice.
- Black Pin fixed glass balustrade to stairs, void and balcony, black rail / Client choice.



Painting

- Residential grade Tubman three coat paint to walls throughout (White on the ceiling & selected color to the wall).
- Architraves will be same color of door and skirting will be same color of the wall.



Garage and Garage Door

- Plasterboard lined interior to Garage, height 2400, full garage insulation, aircon vent.
- Garage storage with cabinets, smooth sliding doors.
- Color bond flat line sectional panel lift auto garage door and opener including 2xRemotes with standard color. (Merlin Motor).

Windows

- Residential grade matte black aluminum frame sliding doors and windows as per windows.
- Strong mesh fly screen in windows as per builder range.
- 🧭 Keyed locks for all windows as per builder range.

Doors, Skirting & Architraves

- Main entrance as per Architectural drawing.
- Ground floor and first floor arch, cornice.
- Main door will have magnet door stoppers.
- \bigcirc Internal doors with modern locks and paint finish as per selection.
- All doors height 2040* 820 as per door schedule, with matte black door handle.
- Square 90 mm skirting boards frame.
- 80-100 mm square skirting and architraves for all doors.
- Orrome door handles and door stoppers / Client choice.

Floor covering

- ⊘ 600×600mm Royale Statuaries marble look polished rectified porcelain tile on ground floor.
- 300x300mm floor tiles Royale statuaries marble look (Honed) for all the toilets.
- 300×600 wall tiles Royale statuaries marble look polished for all the toilets
- O 300×300 floor tiles for porch, balcony and alfresco.
- All doors height 2040* 820 as per door schedule, with matte black door handle.
- Hybrid floor first floor with high thick flooring with sound resistance underlay. No sound when stepping on the floor.

Electrical

- All electrical work, compliant with ASNZ3000.
- Single Phase main power connection.
- Rough-in and finish off.
- ✓ Video Intercom system from builder's range.
- O Up to 10 double power points.
- Oown lights to the garage.
- 🕗 Unlimited down lights throughout the house.
- Switch from builder range.
- Provision for 1 chandelier light -Lights will be supplied by client.
- 2x Television points to your preferred location.
- Supply and Install 1x Data points.
- Ix Telephone points to your preferred location.
- Smoke alarms as per drawing.
- ♂ 3 in 1 (heat, fan and light) to each bathroom.
- Smoke alarms as per drawing
- ② 1 Weatherproof external power points allowed for main house.
- Install 2x external wall lights to the columns.
- Install 2x external sensor lights.
- \oslash Conduit for NBN to board/hub location, main connection by Telstra organized by Owner

Kitchen

- Oltra-white Stone / Ceaser stone benchtop to full Kitchen (20mm thick.)/Client choice.
- Kitchen Island with 40mm bench top Ultra white 1000*1600 with waterfall edges.
- Kitchen cabinet will be Polytec /double polyurethane finish with choice of color.
- Stone splashback on kitchen wall as per design and rest area will tiled splash back around if required.
- Soft close Kitchen drawers with finger pull in the kitchen and top opening, Client choice.
- Ouble bowl kitchen sink with drainer in kitchen/ Client choice.
- Nice Crome mixer tap / Client choice.
- Solution: Westinghouse/ fully integrated dishwasher / Client choice.
- 🧭 Westinghouse / 60 cm Rangehood Client choice / Client choice
- Westinghouse / 60cm gas cooktop / Client choice,
- Westinghouse / 60cm sense cook Oven Client choice
- Point for automatic hot and cold water tap, install only.











Robes, Pantry and WIR

- Standard built in.
- 🧭 White melamine shelving to all remaining Linens as required or client choice color (study fit outs in the first floor).

Bathrooms

- All plumbing work compliant ASNZ3500.
- Oil based Waterproofing to the bathrooms.
- Oual flash ceramic soft close toilet suite in white Caroma.
- Oesigner Polytec finish free standing vanity unit with 20mm stone top, Stylish counter.
- Free Standing basins with doors & amp; draws as per design.
- Bathroom shower wall full height tiles.
- Stylish tapware in chrome finish.
- O Polished edge frameless mirrors to Bathrooms and Ensuite.
- Stylish shower Rail head with shower mixer.
- Smart Chrome square floor wastes to wet areas.
- ✓ 3 in 1 fan light heater to bathrooms.
- Bathroom accessories in chrome finish, double towel rail and one toilet roll holder.
- 2 niches at 2 showers.
- Ohrome shower head.
- Standard basin.
- Shoor to ceiling wall tiles, 1600mm bath tub.
- Sink mixer chrome all bathrooms.
- Semi Frameless shower screen as per drawing.
- 20mm Ultra white stone top free standing vanities to all bathrooms.







Laundry

- O Tiles splash back.
- O Top and bottom cabinet for full laundry.
- 🥑 Waterproofing as per Australian standard (Oil based waterproofing as discussed).
- Melamine laundry cabinet with 20mm standard stone as per drawing.
- Standard laundry tub.

Balustrade

- O Metal/Glass balustrade to the balcony with pin fixed.
- 🧭 Metal/Glass/ Timber balustrade to the void if necessary.

Air con

I6.0 Kwh Daikin Ducted air-conditioner., 4 zones, 1 controller.

Plumbing

- All Plumbing works as per Australian Standard.
- Storm water plumbing as per Australian Standard.
- 🧭 Water points for fridge.
- Round shape air con vent to all rooms and common area.

Landscaping

- 🧭 Full turnkey Landscaping for the house. Entry pedestrian walkway will be provided, Steps from footpath to porch.
- Supply and installation of landscaping turf as per Basix and plans to meet the OC requirements.
- Supply and installation of finishes are per design to reflect architectural. Plans (color bond fence in the Franny flat side for the privacy)

Council & Statutory Authority Requirement

- Sediment control Fencing including Trade waste receptacle in accordance with the Environmental Protection Authority EPA requirements.
- AS/NZS 3000-2000 electrical requirements. Safety switches to Fridge and light circuits and Isolating Switch for wall oven.
- 🕗 Roof Guardrail allowance as required by Work Cover Authority.
- O Temporary constructing fencing.
- Onsite toilet hire.

Completion and Final Certificates

- Internal and external house clean.
- \oslash Removal of construction rubbish at the end of the construction phase.
- 🧭 6 years structural warranty.
- 🧭 60 days maintenance period.
- Occupation certificate.
- Selectrical, smoke alarm certificate.
- General plumbing certificate.
- Termite protection certificate.
- 🕑 Wet area waterproof certificate.
- Glazing certificate.
- Preconstruction & post construction Survey and Peg out report.
- Metal and Glass compliance certificate.
- Shower screen certificates.



YOUR TRUSTWORTHY SOLUTION FOR CONSTRUCTIONS, RENOVATIONS AND ARCHITECTURES

+61 0425 224 680 info@paramount-construction.com.au Suite 7, 201, 29-31 Solent Circuit, Norwest, NSW 2153

www.paramount-construction.com.au