

Applicable to lot 103, 104, 105, 106, 108, 110, 111 and 113 22 Campbell Street, Grantham Farm

\$1,251,300


Land Size: 302 sqm

House Size: 241.42 sqm / 26.02 sq


Supreme Inclusions

- Fixed site costs & BASIX requirements.
- Cladding free full brick house.
- 2700mm ceiling height to ground floor.
- 2700mm ceiling height to first floor.
- Tiles on the ground floor.
- \rightarrow Hybrid floor first floor with high thick flooring with sound resistance underlay.
- \longrightarrow Custom Designed staircase with timber steps.
- \rightarrow Glass Balustrade to stairs, void and balcony.
- 40mm stone benchtops featuring waterfall ends.
- Soft close kitchen drawers.
- $\overset{\longrightarrow}{\rightarrow}$ Unlimited downlights throughout.
- Video Intercom.
- Full tile bathroom.

Dual Income opportunity for investors









eco. factor Pty. Ltd

SUITE 1, LEVEL 2, 215-219 GEORGE ST., LIVERPOOL 2170, NSW, Australia. P: 1300 326 322 info@ecofactor.com.au www.ecofactor.com.au

MEMBER:



YOU DIG www.byda.com.au Zero Damage - Zero Harm

This drawing is the property of ECO.FACTOR PTY LTD and shall not be used in full or in part


and instructions and to comply with relevant Australian Standards.

without consent of ECO.FACTOR PTY LTD - Figured dimensions are to take preference over scaled dimensions. - Builder shall be held responsible to verify all dimensions/levels on site & notify any discrepancy to ECO.FACTOR PTY LTD - All materials are to be used in accordance with manufacturer's specifications

THE FOLLOWING STANDARDS MAY BE REFERRED TO IN THIS DRAWING;
AS 1288 GLASS IN BUILDINGS - SELECTION AND INSTALLATION
AS 1428 DESIGN FOR ACCESS AND MOBILITY
AS 1657 FIXED PLATFORMS, WALKWAYS, STAIRWAYS AND LADDERS **Design Solutions**

AS 1668 MECHANICAL VENTILATION AND AIR-CONDITIONING
AS 1670 AUTOMATIC FIRE DETECTION AND ALARM SYSTEM
AS 1909 INSTALLATION OF TIMBER DOORSETS
AS 2047 WINDOWS IN BUILDINGS - SELECTION AND INSTALLATION
AS 2293 EMERGENCY ESCAPE LIGHTING AND EXIT SIGNS FOR BUILDINGS AS 2444 PROTABLE FIRE EXTINGUISHERS
AS 3500 NATIONAL PLUMBING AND DRAINAGE

WALL TAG TAG SYMBOLS AS 3600 CONCRETE STRUCTURES
AS 3700 MASONRY STRUCTURES W# WINDOW TAG D# DOOR TAG AS 3740 WATERPROOFING OF DOMESTIC WET AREAS AS 4100 STEEL STRUCTURES DO NOT SCALE. USE FIGURED DIMENSIONS ONLY. VERIFY ALL AS 4254 DUCTWORK FOR AIR-HANDLING SYSTEMS IN BUILDINGS LEVELS AND DIMENSIONS ON SITE BEFORE COMMENCING AS 3610 FORMWORK FOR CONCRETE
OTHER ALTERNATIVE SOLUTION CONSTRUCTION, FABRICATION, OR SHOP DRAWINGS.
© COPYRIGHT - ALL RIGHTS RESERVED



CLIENT INNOVATION BUILDERS PROJECT DESIGN FOR 9 METER WIDE LOT DOUBLE STOREY


HOUSE


DRAWING TITLE GROUND FLOOR PLAN SCALE

22-Nov-23 3:45:07 PM CHECKED DRAWN DU

PROJ. STAGE DRAWING NO. PAGE NUMBER 23114 conc - 02

AREAS FOR BUILDERS		
Area	sq.m	sqrs
ALFRESCO	8.85	0.95
BALCONY	3.00	0.32
FF LIVING	94.21	10.15
GARAGE	17.82	1.92
GF LIVING	114.54	12.34
PORCH	3.00	0.32
TOTAL	241.42	26.02








eco. factor Pty. Ltd

SUITE 1, LEVEL 2, 215-219 GEORGE ST., LIVERPOOL 2170, NSW, Australia. P: 1300 326 322 info@ecofactor.com.au www.ecofactor.com.au



ASSOCIATION OF AUSTRALIA

YOU DIG www.byda.com.au Zero Damage - Zero Harm

Design Solutions This drawing is the property of ECO.FACTOR PTY LTD and shall not be used in full or in part

without consent of ECO.FACTOR PTY LTD - Figured dimensions are to take preference over scaled dimensions.

- Builder shall be held responsible to verify all dimensions/levels on site & notify any discrepancy to ECO.FACTOR PTY LTD - All materials are to be used in accordance with manufacturer's specifications and instructions and to comply with relevant Australian Standards.

THE FOLLOWING STANDARDS MAY BE REFERRED TO IN THIS DRAWING:
AS 1288 GLASS IN BUILDINGS - SELECTION AND INSTALLATION
AS 1428 DESIGN FOR ACCESS AND MOBILITY
AS 1657 FIXED PLATFORMS, WALKWAYS, STAIRWAYS AND LADDERS
AS 1668 MECHANICAL VENTILATION AND AIR-CONDITIONING
AS 1670 AUTOMATIC FIRE DETECTION AND ALARM SYSTEM
AS 1909 INSTALLATION OF TIMBER DOORSETS
AS 2047 WINDOWS IN BUILDINGS - SELECTION AND INSTALLATION
AS 2293 EMERGENCY ESCAPE LIGHTING AND EXIT SIGNS FOR BUILDINGS

TAG SYN

AS 2293 EMERGENCY ESCAPE LIGHTING AND EXIT SIGNS FOR BUILD

AS 2444 PROTABLE FIRE EXTINGUISHERS

AS 3500 NATIONAL PLUMBING AND DRAINAGE

AS 3600 CONCRETE STRUCTURES

AS 3700 MASONRY STRUCTURES

AS 3740 WATERPROOFING OF DOMESTIC WET AREAS

AS 4100 STEEL STRUCTURES


AS 4254 DUCTWORK FOR AIR-HANDLING SYSTEMS IN BUILDINGS

AS 3610 FORMWORK FOR CONCRETE

OTHER ALTERNATIVE SOLUTION TAG SYMBOLS

WALL TAG W# WINDOW TAG D# DOOR TAG DO NOT SCALE. USE FIGURED DIMENSIONS ONLY. VERIFY ALL LEVELS AND DIMENSIONS ON SITE BEFORE COMMENCING

CONSTRUCTION, FABRICATION, OR SHOP DRAWINGS.
© COPYRIGHT - ALL RIGHTS RESERVED



CLIENT INNOVATION BUILDERS PROJECT DESIGN FOR 9 METER WIDE LOT DOUBLE STOREY HOUSE

DRAWING TITLE FIRST FLOOR PLAN SCALE 22-Nov-23 3:45:09 PM DRAWN CHECKED DU

PROJ. STAGE DRAWING NO. PAGE NUMBER 23114